# Significant Ecological Estuarine Area Assessment Sheet for Wading and Aquatic Birds

Name/Area: Bay of Islands

#### **Summary:**

The Bay of Islands comprises a large and diverse harbour and estuarine habitat together with many small to moderate sized islands. There are several inlets extending well inland, with varying levels of buffering, some with extensive mangroves, most with little saltmarsh. Much of the adjacent land is farmed, but there are increasing areas of shrubland recovery. Habitat degradation increases to the north within the Bay, but there are exceptions. There are many residential settlements of varying size. The avifauna is diverse and breeding birds include local breeding red-billed gull, little blue penguin, pied shag, reef heron Australasian bittern, northern NZ dotterel, banded rail, fernbird and pateke. The ecological significance of the Bay is Moderate-High given the local importance and available habitat for some species.

Table 'Threatened' and 'At Risk' shorebird species present at Bay of Islands

Species Scientific Name	Species Common Name	NZ threat classification		Significance for species
Anas superciliosa	Grey duck	Threatened	Nationally critical	Past records
Botaurus	Australasian	Threatened	Nationally	Locally important
poiciloptilus	bittern		endangered	breeding and feeding
Phalacrocorax	Pied shag	Threatened	Nationally	Nationally important
varius	rieu siiag		vulnerable	breeding and feeding
Egretta sacra	Reef heron	Threatened	Nationally	Locally important
sacra	Reel Heloli		vulnerable	breeding and feeding
Charadrius	Northern NZ	Threatened	Nationally	Locally important
obscurus	dotterel		vulnerable	breeding and feeding
aquilonius	dotterer		Valliciable	
Larus		Threatened	Nationally	Locally important
novaehollandiae	Red-billed gull		vulnerable	breeding and feeding
scopulinus			Valliciable	
Hydroprogne	Caspian tern	Threatened	Nationally	Local feeding
caspia	Caspian tem		vulnerable	
Eudyptula minor	Little blue	At Risk	Declining	Locally important
Ludyptala IIIIIoi	penguin			breeding and feeding
Haematopus	NZ pied	At Risk	Declining	Local feeding
finschi	oystercatcher		Deciming	
Himantopus		At Risk		Local feeding
himantopus	Pied stilt		Declining	
leucocephalus				
Sterna striata	White-fronted tern	At Risk	Declining	Locally important
				breeding and feeding
Bowdleria	Fernbird	At Risk		Locally important
punctata	remond		Declining	breeding and feeding
Gallirallus	Banded rail	At Risk		Locally important
philippensis	Danueu Fall		Declining	breeding and feeding
Limosa lapponica	Eastern bar-	At Risk	Declining	Local feeding

baueri	tailed godwit			
Anas chlorotis (North Island)	Brown teal	At Risk	Recovering	Nationally important breeding and feeding
Haematopus unicolor	Variable oystercatcher	At Risk	Recovering	Locally important breeding and feeding
Porzana tabuensis tabuensis	Spotless crake	At Risk	Relict	Locally important breeding and feeding
Phalacrocorax carbo novaehollandiae	Black shag	At Risk	Naturally uncommon	Local feeding
Phalacrocorax melanoleucos brevirostris	Little shag	At Risk	Naturally uncommon	Locally important breeding and feeding
Phalacrocorax sulcirostris	Little black shag	At Risk	Naturally uncommon	Locally important breeding and feeding

### Key references:

Dowding, J.E., Davis, A.M., 2007. New Zealand dotterel (*Charadrius obscurus*) recovery plan, 2004–14. Threatened Species Recovery Plan 58. NZ Department of Conservation.

Heather B.D., Robertson, H.A. 2000. The field guide to the birds of New Zealand. Auckland, Penguin.

Robertson, C.J.R.; Hyvönen, P.; Fraser, M.J.; Pickard, C.R.; 2007. *Atlas of bird distribution in New Zealand 1999-2004*. OSNZ, Wellington.

## Estuaries Reliability Notes and Key References

Site	Assessor	Date	Key references (see	Data reliability
			below)	
North Kaipara	RP	Oct 2015	3, 4, 6, 14, 15	High
Mangawhai	RP	Oct 2015	1, 2, 4, 6, 13, 14	High
Waipu	RP	Oct 2015	1, 2, 6, 13,14	High
Ruakaka	RP	Oct 2015	6, 13	High
Whangarei	RP	Oct 2015	3, 6, 9, 14, 15	High
Taiharuru	RP	Oct 2015	10, 14	High
Pataua	RP	Oct 2015	10, 14	Moderate – High
Horahora	RP	Oct 2015	14, 15	Moderate – High
Ngunguru	RP	Oct 2015	6. 10, 14	High
Matapouri	RP	Oct 2015	10, 15	High
Whananaki	RP	Oct 2015	5, 14, 15	High
Whangaruru	RP	Oct 2015	5, 6, 14, 15	High
Bay of Islands	RP	Oct 2015	5, 6, 14, 15	High
Whangaroa	RP	Oct 2015	14, 15	Moderate – High
Mangonui-Taipa	RP	Oct 2015	14, 15	Moderate –High
Rangaunu	RP	Oct 2015	1, 2, 3, 6, 7, 14, 15	High
Houhora	RP	Oct 2015	3, 6, 11, 14	High

Parengarenga	RP	Oct 2015	1, 3, 6, 7, 14, 15	High
Whangape-Herekino	RP	Oct 2015	14, 15	Moderate – High
Hokianga	RP	Oct 2015	6, 8, 15	High

#### Key references:

- 1. Dowding, J.E. 2013 [updated 2015]. New Zealand dotterel. *In* Miskelly, C.M. (ed.) *New Zealand Birds Online*.www.nzbirdsonline.org.nz
- 2. Dowding, J.E., Davis, A.M., 2007. New Zealand dotterel (*Charadrius obscurus*) recovery plan, 2004–14. Threatened Species Recovery Plan 58. NZ Department of Conservation.
- 3. Heather, B.D., Robertson, H.A. 2000. The field guide to the birds of New Zealand. Auckland, Penguin.
- 4. Ismar,S.M.H. et al 2013. Foraging ecology and choice of feeding habitat in the New Zealand Fairy Tern *Sternula nereis davisae*. Bird Conservation International 24: 72 87.
- 5. O'Connor, S.M., Maloney, R.F., Pierce, R.J. 2007. Pateke (*Anas chlorotis*) Recovery Plan, 2005-10. Department of Conservation Threatened Species Recovery Plan 59. 33 p.
- 6. OWR 2014. Oiled wildlife response (harbour specific series). Northland Regional Council.
- 7. Pierce R.J. 1999. Regional patterns of migration in the banded dotterel *Charadrius bicinctus*. *Notornis 46*: 101-122.
- 8. Pierce R.J. 2002. Assessment of ecological effects of proposed bridges and associated roadworks at Hokianga Harbour, Northland. Wildland Consultants Contract Report No. 575.
- 9. Pierce R.J. 2005. General patterns of bird use of Whangarei Harbour. Wildland Consultants Report No. 1047 for Northland regional Council.
- 10. Pierce R.J. 2007. Options for ecological restoration of the Tutakaka Landcare Coalition (TLC) area and neighbouring areas. *Eco Oceania Ltd* report for Tutukaka Landcare Coalition.
- 11. Pierce, R.J., **Kerr**, V.C, 2004. Effects of oyster farms on estuarine avifauna at Houhora Harbour, Northland. Contract Report No. 899, Report prepared for: Department of Conservation Private Bag 841 Whangarei.
- 12. Pierce, R.J., Kerr, V.C., 2007. Ecological Restoration of the Taiharuru Catchment. Report prepared for the Taiharuru Catchment Group. Eco Oceania Ltd.
- 13. Pulham, G., Wilson, D. 2013 [updated 2015]. Fairy tern. *In* Miskelly, C.M. (ed.) *New Zealand Birds Online* www.nzbirdsonline.org.nz
- 14. Robertson, C.J.R., Hyvönen, P., Fraser, M.J., Pickard, C.R. 2007. *Atlas of bird distribution in New Zealand 1999-2004*. OSNZ, Wellington.
- 15. SSBI. Sites of Special Biological Significance. Department of Conservation Series, Northland.