

7. References

- Bell, R.G.; Goff, J.; Downes, G.; Berryman, K.; Walters, R.A.; Chagué-Goff, C.; Barnes, P.; Wright, I. (2004). Tsunami hazard for the Bay of Plenty and eastern Coromandel Peninsula. *NIWA Client Report HAM2004-084*. 90 p.
- Bird, P. (2003). An updated digital model of plate boundaries. *Geochemistry, Geophysics, Geosystems* 4: 52.
- Chagué-Goff, C.; Goff, J.R. (2006). Tsunami hazard assessment for the Northland region. *NIWA Client Report CHC2006-069*.
- Collot, J.-Y.; Davy, B.W. (1998). Forearc structures and tectonic regimes at the oblique subduction zone between the Hikurangi Plateau and the southern Kermadec margin. *Journal of Geophysical Research, Solid Earth* 103(B1): 623-650.
- Davy, B.W.; Collot, J.-Y. (2000). The Rapuhia Scarp (northern Hikurangi Plateau): its nature and subduction effects on the Kermadec Trench. *Tectonophysics* 328(3/4): 269-295.
- Gillibrand, P.A.; Lane, E.M.; Arnold, J.R.; Carter, J.; Dumas, J.; Enright, M.; Goff, J.R. (2008). Northland Regional Council Tsunami Modelling Study 2. NIWA Client Report: CHC2008-115, August 2008, 111+vii pp.
- Goff, J.R. (2008). The New Zealand palaeotsunami database. *NIWA Technical Report 131*. 24p, database.
- Goff, J.R.; Walters, R.; Lamarche, G.; Wright, I.; Chagué-Goff, C. (2005). Tsunami Overview Study. *Auckland Regional Council Report GEO2005/20060*. 35 p.
- Goff, J.; Walters, R.A.; Callaghan, F. (2006). Tsunami source study. *NIWA Client Report CHC2006-082*. Report for Environment Waikato. 55 p.
- Henry, R.F.; Walters, R.A. (1993). A geometrically-based, automatic generator for irregular triangular networks. *Communications in Numerical Methods in Engineering*, 9: 555-566.
- ITDB/PAC (2004). Integrated Tsunami Database for the Pacific. Version 5.12 of December 31 2004. CD-ROM, Tsunami Laboratory, ICMG SD RAS, Novosibirsk, Russia.

- IPCC. 2007. Climate Change 2007: Synthesis Report. *Contribution of Working Groups I, II and III to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. [Core Writing Team, Pachauri, R.K and Reisinger, A. (eds.)]. IPCC, Geneva, Switzerland, 104 pp.
- Lane, E.M.; Walters, R.A.; Arnold, J. (2007). Northland Regional Council Tsunami Modelling Study 1. *NIWA Client Report CHC2007-109*. 86 p.
- Nichol, S.; Goff J.R.; Regnaud, H. (2004). Sedimentary evidence for a regional tsunami on the NE coast of New Zealand. *Geomorphologie: Relief, Processus et Environnement 1*: 35-44.
- Nichol, S.L.; Lian, O.B.; Carter, C.H. (2003). Sheet-gravel evidence for a late Holocene tsunami run-up on beach dunes, Great Barrier Island, New Zealand. *Sedimentary Geology 155*: 129-145.
- Okada, Y. (1985). Surface deformation due to shear and tensile faults in a half-space, *Bulletin of the Seismological Society of America 75*: 1135-1154.
- Pacheco, J.F.; Sykes, L.R.; Scholz, C.H. (1993). Nature of seismic coupling along simple plate boundaries of the subduction type. *Journal of Geophysical Research 98*: 14133-14139.
- Pearce, S. (2006) Sedimentary record of palaeotsunami from two backbarrier wetlands, east coast Northland. Unpublished MSc thesis, University of Auckland, SGES. 115 p.
- Reyners, M. (1998). Plate coupling and the hazard of large subduction thrust earthquakes at the Hikurangi subduction zone, New Zealand, *New Zealand Journal of Geology and Geophysics 41*: 343-354.
- Sadek, E.A. (1980). A scheme for the automatic generation of triangular finite elements. *International Journal of Numerical Methods in Engineering 15*: 1813-1822.
- Staniforth, A.; Côté, J. (1991). Semi-Lagrangian integration schemes for atmospheric models - a review. *Monthly Weather Review 119*: 2206-2223.
- Walters, R.A. (2005). A semi-implicit finite element model for non-hydrostatic (dispersive) surface waves. *International Journal for Numerical Methods in Fluid. 49*: 721-737.

- Walters, R.A.; Casulli, V. (1998). A robust, finite element model for hydrostatic surface water flows. *Communications in Numerical Methods in Engineering 14*: 931-940.
- Walters, R.A.; Barnes, P.; Goff, J. (2006a). Locally generated tsunami along the Kaikoura coastal margin: Part 1. Fault ruptures. *New Zealand Journal of Marine and Freshwater Research 40(1)*: 1-17.
- Walters, R.A.; Barnes, P.; Lewis, K.; Goff, J., Fleming, J (2006b). Locally generated tsunami along the Kaikoura coastal margin: Part 2. Submarine landslides. *New Zealand Journal of Marine and Freshwater Research 40 (1)*: 18-34.
- Walters, R.A.; Goff, J.R.; Wang, K. (2006c). Tsunamigenic sources in the Bay of Plenty, New Zealand. *Science of Tsunami Hazards 24*: 339–357.
- Walters, R.A.; Goff, J. (2003). Assessing tsunami hazard along the New Zealand coast. *Science of Tsunami Hazards 21*: 137-153.