

## 7. References

- Bell, R.G.; Goff, J.; Downes, G.; Berryman, K.; Walters, R.A.; Chagué-Goff, C.; Barnes, P.; Wright, I. (2004). Tsunami hazard for the Bay of Plenty and eastern Coromandel Peninsula. *NIWA Client Report HAM2004-084*. 90 p.
- Bird, P. (2003). An updated digital model of plate boundaries. *Geochemistry, Geophysics, Geosystems* 4: 52.
- Chagué-Goff, C.; Goff, J. R. (2006). Tsunami hazard assessment for the Northland region. NIWA Client Report CHC2006-069.
- Collot, J.-Y.; Davy, B.W. (1998). Forearc structures and tectonic regimes at the oblique subduction zone between the Hikurangi Plateau and the southern Kermadec margin. *Journal of geophysical research, Solid earth* 103(B1): 623-650.
- Davy, B.W.; Collot, J.-Y. (2000). The Rapuhia Scarp (northern Hikurangi Plateau): its nature and subduction effects on the Kermadec Trench. *Tectonophysics* 328(3/4): 269-295.
- Gillibrand, P.A.; Lane, E.M.; Arnold, J.R.; Carter, J.; Dumas, J.; Enright, M.; Goff, J.R. (2008). Northland Regional Council Tsunami Modelling Study 2, NIWA Client Report: CHC2008-115, August 2008, 111+vii pp.
- Goff, J.R. (2008). The New Zealand palaeotsunami database. NIWA Technical Report 131, 24p, database.
- Goff, J.R.; Walters, R.; Lamarche, G.; Wright, I.; Chagué-Goff, C. (2005). Tsunami Overview Study. Auckland Regional Council Report GEO2005/20060, 35pp.
- Goff, J.; Walters, R.A.; Callaghan, F. (2006). Tsunami source study. *NIWA Client Report CHC2006-082*. Report for Environment Waikato. 55 p.
- Henry, R.F.; Walters, R.A. (1993). A geometrically-based, automatic generator for irregular triangular networks. *Communications in Numerical Methods in Engineering*, 9: 555-566.

ITDB/PAC (2004). Integrated Tsunami Database for the Pacific. Version 5.12 of December 31 2004. CD-ROM, Tsunami Laboratory, ICMMG SD RAS, Novosibirsk, Russia.

Lane, E.M.; Walters, R.A.; Arnold, J. (2007). Northland Regional Council Tsunami Modelling Study 1. *NIWA Client Report CHC2007-109*. 86 p.

Nichol, S.; Goff J.R.; Regnault, H. (2004). Sedimentary evidence for a regional tsunami on the NE coast of New Zealand. *Geomorphologie: Relief, Processus et Environnement 1*: 35-44.

Nichol, S.L.; Lian, O.B.; Carter, C.H. (2003). Sheet-gravel evidence for a late Holocene tsunami run-up on beach dunes, Great Barrier Island, New Zealand. *Sedimentary Geology 155*: 129-145.

Okada, Y. (1985). Surface deformation due to shear and tensile faults in a half-space, *Bulletin of the Seismological Society of America 75*: 1135-1154.

Pacheco, J.F.; Sykes, L.R.; Scholz, C.H. (1993). Nature of seismic coupling along simple plate boundaries of the subduction type. *Journal of Geophysical Research 98*: 14133-14139.

Pearce, S. (2006) Sedimentary record of palaeotsunami from two backbarrier wetlands, east coast Northland. Unpublished MSc thesis, University of Auckland, SGES, 115pp.

Reyners, M. (1998). Plate coupling and the hazard of large subduction thrust earthquakes at the Hikurangi subduction zone, New Zealand, *New Zealand Journal of Geology and Geophysics 41*: 343-354.

Sadek, E.A. (1980). A scheme for the automatic generation of triangular finite elements. *International Journal of Numerical Methods in Engineering 15*: 1813-1822.

Staniforth, A.; Côté, J. (1991). Semi-Lagrangian integration schemes for atmospheric models - a review. *Monthly Weather Review 119*: 2206-2223.

Walters, R.A. (2005). A semi-implicit finite element model for non-hydrostatic (dispersive) surface waves. *International Journal for Numerical Methods in Fluids. 49*: 721-737.

Walters, R.A.; Casulli, V. (1998). A robust, finite element model for hydrostatic surface water flows. *Communications in Numerical Methods in Engineering* 14: 931-940.

Walters, R.A.; Barnes, P.; Goff, J. (2006a). Locally generated tsunami along the Kaikoura coastal margin: Part 1. Fault ruptures. *New Zealand Journal of Marine and Freshwater Research* 40(1): 1-17.

Walters, R.A.; Barnes, P.; Lewis, K.; Goff, J., Fleming, J (2006b). Locally generated tsunami along the Kaikoura coastal margin: Part 2. Submarine landslides. *New Zealand Journal of Marine and Freshwater Research* 40 (1): 18-34.

Walters, R.A.; Goff, J.R.; Wang, K. (2006c). Tsunamigenic sources in the Bay of Plenty, New Zealand. *Science of Tsunami Hazards* 24: 339–357.

Walters, R.A.; Goff, J. (2003). Assessing tsunami hazard along the New Zealand coast. *Science of Tsunami Hazards* 21: 137-153.

